



PRODUCT PORTFOLIO PRESS BRAKE 10/2025 SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC

PRODUCT PORTFOLIO

FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC

THANK YOU VERY MUCH,

for your interest in a tool produced by PASS Stanztechnik AG.

With this brochure we would like to introduce you to our product portfolio. Therefore, we have prepared this document for your including the most important tools from the tooling system WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC.

Please feel free to contact us in any case of questions.

Yours

PASS Stanztechnik AG


FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC

PRESS BRAKE TOOLS STANDARD

for tooling system WILApage 4
for tooling system WILA
for tooling system EUROPEAN
for tooling system LVD
for tooling system BYSTRONIC
PRESS BRAKE TOOLS SPECIAL
for tooling system WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC
EXPRESS CLAMP
for tooling system WILA, TRUMPF & EUROPEANpage 12
ADAPTER AND INTERMEDIATES
for tooling system WILA, TRUMPE EUROPEAN, LVD & BYSTRONIC


FOR TOOLING SYSTEM WILA

- tools in market based sections
- material: 42CrMo4
- saftey button as a standard for punches up to 12,7 kg
- induction hardened



FOR TOOLING SYSTEM TRUMPF

- tools in market based sections
- material: 42CrMo4
- saftey button as a standard for punches up to 12,7 kg
- induction hardened




FOR TOOLING SYSTEM EUROPEAN


- tools in market based sections
- induction hardened

-material: 42CrMo4

 cost-effective material alternative (C45) on request



FOR TOOLING SYSTEM LVD



FOR TOOLING SYSTEM BYSTRONIC



PRESS BRAKE TOOLS SPECIAL

FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC

Hemming tools:


- production of a bending with 2 hits
- pre-bending and hemming with 1 tool

Radius tool:

- with interchangeable bending inserts
- EUROPEAN:
 R 3 mm R 50 mm
- WILA/TRUMPF: R 10 mm - R 50 mm
- other radii available on request

Z-bending tools:


- with interchangeable bending inserts
- EUROPEAN: H 1 mm - H 15 mm
- •WILA/TRUMPF: H 4 mm - H 10 mm
- other offset heights available on request



PRESS BRAKE TOOLS SPECIAL

FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC


- efficient special solutions for complex bending processes
- multiple bendings and complex geometries in a single bending step
- -modular design with interchangeable bending inserts
- -produced according to customerspecific functional requirements



PRESS BRAKE TOOLS SPECIAL

FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC


- efficient special solutions for complex bending processes
- multiple bendings and complex geometries in a single bending step
- modular design with interchangeable bending inserts
- produced according to customerspecific functional requirements



EXPRESS CLAMP

FOR TOOLING SYSTEM WILA, TRUMPF & EUROPEAN

- clamping system for tooling system EUROPEAN
- also available with adaptation to tooling system WILA and TRUMPF
- precise alignment of several clamps mounted in a row
- upper tools can be loaded from below or from the side
- locking system with lever for fast setting-up
- front and rear clamping plates are getting locked in the same time
- Nitrex® heat treatment for maximum durability
- precise positioning of even short upper tools
- slim desing allows narrow bendings



ADAPTER AND INTERMEDIATES


FOR TOOLING SYSTEM WILA, TRUMPF, EUROPEAN, LVD & BYSTRONIC

- various adaptations and extensions possible
- available on both punch and die sides
- height adjustment to achieve tool compatibility
- combination of tools from different systems


- reduction in tool variety through use of existing tool sets
- higher productivity thanks to quickchange adapters
- increased flexibility



NOTES



NOTES



CONTACT: +49 92 70 / 9 85 - 0

15

WILA TRUMPF | EUROPEAN | LVD | BYSTRONIC

